



Design & production: GESAB, S.A.

Technology
& innovation **Albiral**
with style

Active in the market since 1994 and established both in Barcelona and in Madrid, Spain, Albiral Display Solutions is a specialist for both flat screen display and CRT monitors for their application in airports, train stations, museum, security, digital signage, point of sale advertising, meeting and conference rooms, retail and broadcast.

Thanks to a philosophy of continuous innovation and with an efficient and flexible organisation, Albiral offers a wide portfolio of standard products as well as a team to develop specific projects according to the customer needs.

Albiral combines quality in design together with innovation in video displays. Using high quality materials such as stainless steel and anodized aluminium, the company is proud to offer an exclusive product range for boardrooms, meeting rooms, offices and receptions.

Albiral standard product range comprises:

- Rack monitors (single, double, triple and quadruple)
- HD-SDI monitors
- Metal cabinet monitors
- Desktop monitors, portable and Viewfinder
- Open Frame monitors
- Retractable monitors to be built into furniture
- MPEG players and monitors with built in MPEG Players
- Videowall monitors

Albiral is a loyal partner to develop specific display solutions, with a design and engineering team ready to work side by side with you.

The company is well known for custom made products and special developments such as:

- Monitors with built in embeded PC
- Touch screen solutions
- Multimedia kiosks
- Totems and hanging monitors for digital signage
- Monitors to be used outdoors
- Monitors for transport (bus, train, boat)

Albiral designs, manufactures and services products based on flat screen technologies in a very short time, and even for small production series.

Albiral products are used for:

- Retail display
- Corporate board rooms, meeting and conference rooms
- Digital Signage
- Entertainment and information display
- Class and training rooms
- Museums
- Broadcast
- CCTV

Albiral has its own and patented technology, as a result of the company's continuous investment in research and development.

19" Rack mount multiple monitors

Robust, compact and cost effective rackable monitors that allow displaying the maximum number of signals in a minimum space. Thanks to a tilting mechanical solution, the viewing angles are optimised.

They are available in different formats and with different inputs (composite video, SDI, data) depending on the model, and also provide tally light.

eyepreview
by Albiral



Rack triple de 5,6"

ANALOG COMPOSITE MULTIPLE MONITORS

Reference	General description	Screen size	U height	Resolution	Brightness (cd./m2)	Contrast	Data input x screen	Video input x screen	Output x screen	Tally
025RK06VFA	6 x 2,5" Analog Composite	2,5"	2	160x234	300	160:1	no	BNC CVBS (1)	BNC CVBS (1)	yes
040RK03VFA	3 x 4" Analog Composite	4"	2	160x234	250	150:1	no	BCN CVBS (2)	BCN CVBS (2)	yes
040RK04VFA2U	4 x 4" Analog Composite	4"	2	160x234	250	150:2	no	BCN CVBS (2)	BCN CVBS (2)	yes
040RK04VFA	4 x 4" Analog Composite	4"	3	160x234	250	150:3	no	BCN CVBS (2)	BCN CVBS (2)	yes
056RK03VFA	3 x 5,6" Analog Composite	5,6"	3	960x234	500	150:4	no	BCN CVBS (2)	BCN CVBS (2)	yes
064RK02VFA	2 x 6,4" Analog Composite	6,4"	3	960x234	300	150:5	no	BCN CVBS (2)	BCN CVBS (2)	yes
070RK02VFA	2 x 7" 16:9 Analog Composite	7" (16:9)	3	1440x234	500	300:1	no	BCN CVBS (2)	BCN CVBS (2)	yes
084RK02VFA	2 x 8,4" Analog Composite	8,4"	4	800x600	200	500:1	no	BCN CVBS (2)	BCN CVBS (2)	yes

ANALOG COMPOSITE / DATA MULTIPLE MONITORS

084RK02MF	2 x 8,4" Video/Data	8,4"	4	1024x768	300	400:1	RGB 15p	BNC CVBS (1), S-Video (1)	—	no
-----------	---------------------	------	---	----------	-----	-------	---------	---------------------------	---	----

ANALOG COMPOSITE / SDI MULTIPLE MONITORS

025RK06VFA/SDI	6 x 2,5" Video/SDI	2,5"	2	160x234	300	160:1	no	BNC CVBS (1), BNC SDI (1)	BNC CVBS (1), BNC SDI (1)	yes
040RK04VFA/SDI	4 x 4" Video/SDI	4"	3	160x234	250	150:3	no	BNC CVBS (1), BNC SDI (1)	BNC CVBS (1), BNC SDI (1)	yes
056RK03VFA/SDI	3 x 5,6" Video/SDI	5,6"	3	960x234	500	150:4	no	BNC CVBS (1), BNC SDI (1)	BNC CVBS (1), BNC SDI (1)	yes
064RK02VFA/SDI	2 x 6,4" Video/SDI	6,4"	3	960x234	300	150:5	no	BNC CVBS (1), BNC SDI (1)	BNC CVBS (1), BNC SDI (1)	yes
070RK02VFA/SDI	2 x 7" 16:9 Video/SDI	7" (16:9)	3	1440x234	500	300:1	no	BNC CVBS (1), BNC SDI (1)	BNC CVBS (1), BNC SDI (1)	yes
084RK02VFA/SDI	2 x 8,4" Video/SDI	8,4"	4	800x600	200	500:1	no	BNC CVBS (1), BNC SDI (1)	BNC CVBS (1), BNC SDI (1)	yes

19" Rack mount single monitors

Robust, compact and rackable, these monitors provides composite video, data and SDI inputs, and functions such as PIP of 3 different sizes, underscan/overscan, 16:9 or 4:3 format selection, image rotation and tally, depending on the model, and optionally RS-232 serial port and a second VGA input.

eyepreview

by Albiral



15" Single rack monitor

19" RACK MOUNT SINGLE MONITORS

Reference	General description	Screen size	U height	Resolution	Brightness	Contrast (cd./m2)	Data inputs	Video input	Output	Tally	Other features	Options
150RK01MF	1x15 Video/Data	15"	7	1024x768	300	400:1	RGB 15p DVI	BNC CVBS (1)	—	—	—	2nd RGB input / Serial interface RS232
150RK01MF/SDI	1x15 Video/Data/SDI	15"	7	1024x768	300	400:1	RGB 15p DVI	BNC CVBS (1), S-Video (1) BNC SDI (1)	BNC SDI (1)	—	—	2nd RGB input / serial interface RS232
150RK01MFA	1x15 Video/Data enhanced features	15"	7	1024x768	300	400:1	RGB 15p DVI	BNC CVBS (2), S-Video (1) 3 BNC components	BNC CVBS (2)	yes	*	serial interface RS232
150RK01MFA/SDI	1x15 Video/Data/SDI enhanced features	15"	7	1024x768	300	400:1	RGB 15p DVI	BNC CVBS (1), S-Video (1) 3 BNC components BNC SDI (1)	BNC CVBS (1) / BNC SDI (1)	yes	*	Serial interface RS232
170RK01MF	1x17 Video/Data	17"	7	1280x1024	300	1000:1	RGB 15p DVI	BNC CVBS (1)	S-Video (1)	—	—	2nd RGB input / serial interface RS232
170RK01MF/SDI	1x17 Video/Data/SDI	17"	7	1280x1024	300	1000:1	RGB 15p DVI	BNC CVBS (1), S-Video (1) BNC SDI (1)	BNC SDI (1)	—	—	2nd RGB input / serial interface RS232
170RK01MFA	1x17 Video/Data, enhanced features	17"	7	1280x1024	300	1000:1	RGB 15p DVI	BNC CVBS (2), S-Video (1) 3 BNC components	BNC CVBS (2)	yes	*	Serial interface RS232
170RK01MFA/SDI	1x17 Video/Data/SDI enhanced features	17"	7	1280x1024	300	1000:1	RGB 15p DVI	BNC CVBS (1), S-Video (1) 3 BNC components BNC SDI (1)	BNC CVBS(1) / BNC SDI (1)	yes	*	Serial interface RS232
170RK01MFA16	1x17 16:9 Video/Data enhanced features	17" (16:9)	6	1280x768	450	600:1	RGB 15p DVI	BNC CVBS (2), S-Video (1) 3 BNC components	BNC CVBS (2)	yes	*	Serial interface RS232
170RK01MFA16/SDI	1x17 16:9 Video/Data/SDI enhanced features	17" (16:9)	6	1280x768	450	600:1	RGB 15p DVI	BNC CVBS (1), S-Video (1) 3 BNC components BNC SDI (1)	BNC CVBS (1) / BNC SDI (1)	yes	*	Serial interface RS232

DRAW MONITOR WITH KEYBOARD AND MOUSE PATH

ALB-515	1 x 15, Data	15"	1	1024x768	230	300:1	RGB 15p (1) PS2 (1) Keyb&Mouse	—	—	—	—	—
ALB-815	1 x 15 , Data, 8 VGA	15"	1	1024x768	230	300:1	RGB 15p (8) PS2 (8) Keyb&Mouse	—	—	no	—	—

* Image rotation, PIP, Underscan/Overscan, 4:3/16:9 Switchable

HD-SDI Broadcast monitors

Available in rack or in metal cabinets, these monitors provide both composite video, component and HD-SDI inputs (accepting the main HD-SDI formats), which are directly accessible from the front panel and with PIP functions, underscan/overscan, 4:3/16:9 switchable aspect ratio, and optionally, RS-232 serial port.

eyepreview

by Albiral



24" HD-SDI monitor with metal cabinet

19" SINGLE BROADCAST RACK MONITORS

Reference	General description	Screen size	U height	Resolution	Brightness (cd./m2)	Contrast	Data input	Video input	Output	Tally	Other Features
170RK01MFA16/HD-SDI	1 x 17 16:9 HD/SDI	17" (16:9)	6	1280x768	450	600:1	RGB 15p, DVI	BNC CVBS (2), S-Video (1) 3 x BNC Components (1) HD SDI BNC (1 input)	BNC CVBS (2) / BNC HD SDI (1)	yes	*
2400F01MFA16/HD-SDI	24" 16:9 metal cabinet HD-SDI	24" (16:9)	—	1920x1200	500	1000:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1) HD SDI BNC (1 input)	BNC HD SDI (1)	no	*
3700F01MFA16/HD-SDI	37" 16:9 metal cabinet HD-SDI	37" (16:9)	—	1920x1080	500	800:1	RGB 15p, DVI	BNC CVBS (1), S-Video(1) HD SDI BNC (1)	BNC HD SDI (1)	no	*

* Image rotation, PIP, Underscan/Overscan, 4:3/16:9 Switchable, RS232



17" HD-SDI single rack monitor



TV mobile unit installation

Metal cabinet broadcast monitors

Metal cabinet monitors to be integrated into furniture, to be hanged in ceiling or wall brackets or to be used as desktop monitors, by adding a foot.
Robust and with professional features, they are suitable for broadcast applications, digital signage and meeting and conference rooms.
For window displays, in-store advertising, digital signage or entertainment, these monitors will enhance your presentations and will allow showing information or streaming video.

eyepreview
by Albiral



17" Metal cabinet monitor

METAL CABINET BROADCAST MONITORS

Reference	General description	Screen size	Resolution	Brightness (cd./m2)	Contrast	Data Input	Video input	Output	Tally	Other Features	Options
1200F01MF	12" Front controls	12"	800x600	300	200:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	–	SDI, RS-232
1200F01MR	12" Rear controls	12"	800x600	300	200:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	–	SDI, RS-232
1500F01MF	15" Front controls	15"	1024x768	300	400:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	–	SDI, RS-232
1500F01MR	15" Rear controls	15"	1024x768	300	400:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	–	SDI, RS-232
1500F01MFA	15" Front controls enhanced features	15"	1024x768	300	400:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	*	SDI, RS-232
1700F01MF	17" Front controls	17"	1280x1024	300	1000:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	–	SDI, RS-232
1700F01MR	17" Rear controls	17"	1280x1024	300	1000:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	–	SDI, RS-232
1700F01MFA	17" Front controls O/Underscan	17"	1280x1024	300	1000:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	*	SDI, RS-232
1700F01MFA16	17" 16:9 Front controls O/Underscan	17"	1280x768	450	600:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	*	SDI, RS-232
2010F01MF VGA	20" Front controls	20,1"	640x480	450	400:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	*	SDI, RS-232
2130F01MFUXGA	21,3" Front controls	21,3"	1600x1200	300	900:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	*	SDI, RS-232
2310F01MI16	23,1" Front lower controls	23,1" 16:9	1366x768	450	1200:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	*	SDI, RS-232
2400F01MF16	24" Front controls	24" 16:9	1920x1200	500	1000:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	*	SDI, RS-232
3200F01MI16	32" Front lower controls	32" 16:9	1366x768	500	1500:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	*	SDI, RS-232
3700F01MI16	37" Front lower controls	37" 16:9	1920x1080	500	800:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	*	SDI, RS-232
4200F01MI16	42" Front lower controls	42" 16:9	1366x768	500	400:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	*	SDI, RS-232
4600F01MI16	46" Front lower controls	46" 16:9	1366x768	500	1200:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	*	SDI, RS-232
5700F01MI16	57" Front lower controls	57" 16:9	1920x1080	600	1200:1	RGB 15p, DVI	BNC CVBS (1), S-Video (1)	–	–	*	SDI, RS-232

* Image rotation, PIP, Underscan/Overscan, 4:3/16:9 switchable

With composite video, data and SDI inputs, depending on the models. Optionally, they are controllable through RS-232 serial port and they have the function of image rotation, to be used in Teleprompters.

www.albiral.com

Desktop and camera/portable monitors

Professional video monitors, that are available in different sizes and type of cabinet, both in metal and in plastic. Some models provide a protection glass, PIP, internal text generator and audio, and it is a very versatile product range, since their cabinet allows accessories for rack mounting and they can also be hanged in ceiling and wall brackets.

Other models integrate a video camera and a digital player, to be used both as an informative and a CCTV screen.

eyepreview

by Albiral



Camera viewfinder monitor (above) and desktop monitor (right)

DESKTOP MONITORS

Reference	General description	Screen size	Resolution	Brightness (cd./m2)	Contrast	Data input	Video input	Output	Cabinet	Protection glass	Other features	Accessories
056DT01VF	5,6" desktop video monitor	5,6"	960x234	300	150:1	–	CVBS	–	Plastic	–	Audio	–
064DT01VF	6,4" desktop video monitor	6,4"	960x234	300	120:1	–	CVBS	–	Plastic	–	Audio	–
ALME-1721B	17" Video/Data desktop plastic cabinet monitor	17"	1280x1024	300	500:1	RGB 15p	BNC CVBS (1), RCA CVBS (1)	–	Plastic	–	Audio	–
ALME-1737	17" Video/Data desktop metal cabinet monitor	17"	1280x1024	300	500:1	RGB 15p	BNC CVBS (2), S-Video (1)	BNC CVBS (2)	Metal	yes	Audio, PIP, text generator	19" Rack brackets, ceiling & wall brackets
AME-1937	19" Video/Data desktop metal cabinet monitor	19"	1280x1024	300	1000:1	RGB 15p	BNC CVBS (2), S-Video (1)	BNC CVBS (2)	Metal	yes	Audio, PIP, text generator	19" Rack brackets, ceiling & wall brackets
ALME-1738	17" Video/Data desktop plastic cabinet monitor	17"	1280x1024	300	500:1	RGB 15p	BNC CVBS (2), S-Video (1)	BNC CVBS (2)	Plastic	–	Audio, PIP, text generator	19" Rack brackets, ceiling & wall brackets
ALME-1938	19" Video/Data desktop plastic cabinet monitor	19"	1280x1024	300	1000:1	RGB 15p	BNC CVBS (2), S-Video (1)	BNC CVBS (2)	Plastic	–	Audio, PIP, text generator	19" Rack brackets, ceiling & wall brackets
ALME-20PV-01	20" Video/camera/MPEG	20"	800x600	450	600:1	RGB 15p	BNC CVBS (3), S-Video (1)	BNC CVBS (3)	Metal	yes	Audio, camera, MPEG player	–
ALME-20PV-02	20" Video/2 camera/MPEG	20"	800x600	450	600:1	RGB 15p	BNC CVBS (3), S-Video (1)	BNC CVBS (3)	Metal	yes	Audio, 2 cameras, MPEG player	–
ALME-PVBC-N	20" Video/2 camera/MPEG/bracket	20"	800x600	400	500:1	RGB 15p	BNC CVBS (3), S-Video (1)	BNC CVBS (3)	Metal	yes	Audio, 2 cameras, MPEG player ceiling bracket	–

CAMERA/PORTABLE MONITORS

056SC01VT	5,6" Video monitor	5,6"	960x234	500	150:1	no	BNC CVBS (2)	BNC CVBS(1)	metal	–	Sun hood, adaptable to external batteries
070SC01VT	7" Video monitor	7" 16:9	1440x234	500	300:1	no	BNC CVBS (2)	BNC CVBS(1)	metal	–	Sun hood, adaptable to external batteries

Albiral also manufactures a range to be used as viewfinder in cameras or as a portable monitor that allow attaching external batteries.

Open Frame monitors

Metal cabinet Open Frame monitors, with a lateral fixing system and rear controls, specially designed to be integrated and with VESA standard holes. Both with composite video and data inputs, are available from 8,4" until 19" and in other sizes under request. Optionally, they can be supplied with touch screen.



OPEN FRAME MONITORS

Reference	General description	Screen size	Resolution	Brightness (cd./m2)	Contrast	Data input	Video input	Cabinet	Controls	Options
084HV01MR	8,4" Video/Data	8,4"	800x600	350	350:1	RGB 15p	RCA CVBS (1) S-Video (1)	Metal	Rear	Touch screen
104HV01MR	10,4" Video/Data	10,4"	800x600	250	400:1	RGB 15p	RCA CVBS (1) S-Video (1)	Metal	Rear	Touch screen
121HV01MR	12,1" Video/Data	12,1"	1024x768	300	200:1	RGB 15p	RCA CVBS (1) S-Video (1)	Metal	Rear	Touch screen
150HV01MR	15" Video/Data	15"	1024x768	250	400:1	RGB 15p	RCA CVBS (1) S-Video (1)	Metal	Rear	Touch screen
170HV01MR	17" Video/Data	17"	1280x1024	250	450:1	RGB 15p	RCA CVBS (1) S-Video (1)	Metal	Rear	Touch screen
190HV01MR	19" Video/Data	19"	1280x1024	250	500:1	RGB 15p	RCA CVBS (1) S-Video (1)	Metal	Rear	Touch screen

“This range of monitors represents excellent value for money. They are very versatile and suitable for a variety of industrial and audiovisual applications”

Retractable monitors for furniture integration

Albiral presents a patented product range, an elegant solution to be easily integrated into meeting, board and conference tables.

Retractable monitors with electrical engine, the up/down movement can be activated through push buttons or remotely.



RETRACTABLE MONITORS FOR FURNITURE INTEGRATION

Reference	General description	Screen size	Resolution	Brightness (cd./m2)	Contrast	Data input	Video input	Output	Cabinet	Up Cover	Other features
150EJ01MSI	15" vertical	15"	1024x768	300	400:1	RGB 15p	BNC CVBS (1)	—	Metal	Stainless Steel	RS-232
150EJ01MSA-SLIM DATA	15" vertical	15"	1024x768	250	450:1	RGB 15p	—	—	Aluminium	Stainless Steel	—
170EJ01MSI	17" vertical	17"	1280x1024	300	1000:1	RGB 15p	BNC CVBS (1)	—	Metal	Stainless Steel	RS-232
170EJ01MSA-SLIM DATA	17" vertical	17"	1280x1024	250	500:1	RGB 15p	—	—	Aluminium	Stainless Steel	—

LIFT SYSTEM VESA 75/100

ALB-1 B	Electric lift system VESA 75/100	—	—	—	—	—	—	—	—	—	Max 8 Kg
---------	----------------------------------	---	---	---	---	---	---	---	---	---	----------




The system has multiple possibilities, such as integrating the microphones and speakers in the upper cover, to add a tilting system or to integrate a camera for video conferencing. Albiral is also offering a lift system designed to hide a flat screen into a table or any other piece of furniture, with a maximum lift capability of 8 Kg.

“With very attractive aluminium and stainless steel finishes, these monitors contribute to create a modern work environment, combining design, technology and ergonomics”

Videowall monitors

For window displays, in-store advertising and for entertaining purposes at shopping and theme malls, these monitors contribute to enhance your presentations and are extremely eye-catching. They entertain and inform customers and their installation is quick and easy with their assembly rear kit.



VIDEOWALL MONITORS WITH ASSEMBLY KIT

Reference	General description	Screen size	Resolution	Brightness (cd./m2)	Contrast	Data input	Video input	Output	Comments
190VW01MD	19" Videowall Data	19"	1280x1024	250	1000:1	VGA	–	–	–
190VW01MD_RGB15KHZ	19" Videowall Data 15KHz	19"	1280x1024	250	1000:1	VGA RGB 15KHz	–	–	–
190VW01MM	19" Videowall Video/Data	19"	1280x1024	250	1000:1	VGA	CVBS	–	–
320VW01MM	32" Videowall Video/Data	32"	1366x768	450	1200:1	VGA	HDMI, Composite, S-Video, Component	Video, Audio, Digital Audio, Speaker	Up to 1080i
400VW01MM	40" Videowall Video/Data	40"	1366x768	700	1200:1	VGA	HDMI, Composite, S-Video, Component	Video, Audio, Digital Audio, Speaker	10 mm frame Up to 1080i



The 40" screen has a frame of only 10 mm, providing the minimum possible separation between screens. They are all compatible with the main splitters in the market.

“These monitors have been conceived to entertain, to inform and to advertise with maximum visual impact”

Digital media players and monitors with built-in media players

Both media players and high quality monitors with built in media players for retail video and digital signage are the perfect devices to attract, engage and influence the audience.

Autonomous, easy to install, space and cable optimising, and available in different sizes and finishing, these devices play MPEG 1, 2, 4 and JPEG stills for retail promotion and media networks and are remotely updatable, depending on the model.




Video and audio player



MPEG, JPEG, MP3 PLAYERS

Reference	General description	Cabinet	MPEG Flash	MPEG 1-4	JPEG	MP3 Audio	USB	Remote content update	Input	Output
VIEWSTREAM 100	MPEG Player	Plastic	yes	yes	yes	yes	yes	no	USB, external buttons	VGA, CVBS (1xRCA), S-Video, Audio (2xRCA)
VIEWSTREAM 100-RS 232	MPEG Player, RS-232	Plastic	yes	yes	yes	yes	yes	no	USB, external buttons, RS232 (barcode reader)	VGA, CVBS (1xRCA), S-Video, Audio (2xRCA)
APA 100	MPEG Player	Metal	yes	yes	yes	yes	yes	no	USB, RJ45 external control	CVBS (1xRCA), S-Video, Audio (2xRCA)
VIEWSTREAM 200	MPEG Player, USB	Plastic	yes	yes	yes	yes	yes	no	USB, external buttons, RS232	VGA, CVBS (1xRCA), S-Video, Audio (2xRCA)
REMOTE PLAYER 300	MPEG Player, Internet	Metal	yes	yes	yes	yes	yes	yes	PCMCIA, RS232, LAN USB, Remote	CVBS (1xRCA), S-Video, YCbCr, Audio (2xRCA)
VIEWSTREAM HD	HD Player	Plastic	yes	yes	yes	yes	yes	no	USB	2xmini-jack (1 audio, 1 video components)
RP710			yes	yes	yes	yes	yes	yes	RJ45, USB, RS232/485	CVBS, S-Video, VGA, DVI, Line Out (L/R)
RP730			yes	yes	yes	yes	yes	yes	RJ45, USB, WIFI	S-Video, DVI, Line Out (L/R)



Monitors with built-in MPEG players in custom made cabinets designed for public spaces

These independent players can be used as media players for Plasma screens, projectors, retro-projectors, etc. They are compatible with interactive options such as motion sensors, touch screens, barcode readers and external touch buttons.

Digital media players and monitors with built-in media players

Albiral manufactures high quality displays with built-in digital media players. These monitors are available in different sizes and can be made in a variety of finishes and with cabinets for special environments: outdoors, to be fitted in buses, trains, etc.



METAL CABINET MONITORS WITH BUILT IN MPEG PLAYERS

Reference	Description	Screen size	Resolution	Brightness (cd./m2)	Contrast	PC input	Video input	Output	Cabinet	Options
VF-064M	6,4" monitor with built in MPEG player	6,4"	960x234	330	150:1	–	–	–	Metal	ITO Touch screen
VF-064P	6,4" monitor with built in MPEG player	6,4"	960x234	330	150:1	–	–	–	Plastic	ITO Touch screen
ASQA07	7" monitor with built in MPEG player	7"	480x234	350	400:1	–	–	USB	Metal	–
ASTA07	7" monitor with built in MPEG player	7"	480x234	350	400:1	–	–	–	Metal	–
VF-076	7,6" monitor with built in MPEG player	7,6"	800x480	400	400:1	–	–	–	Metal	ITO Touch screen
VF-080	8" monitor with built in MPEG player	8"	640x480	400	250:1	–	–	–	Metal	ITO Touch screen
VF-104	10,4" monitor with built in MPEG player	10,4"	800x600	350	180:1	–	–	–	Metal	ITO Touch screen Internet updatable contents
ASQA10	10,4" monitor with built in MPEG player	10,4"	800x600	400	500:1	–	–	–	Metal	–
ASTA10	10,4" monitor with built in MPEG player	10,4"	800x600	400	500:1	–	–	–	Metal	–
VF-150	15" monitor with built in MPEG player	15"	1024x768	250	400:1	–	–	–	Metal	ITO Touch screen Internet updatable contents
ASQA15	15" monitor with built in MPEG player	15"	1024x768	450	40:1	–	RCA	USB	Metal	–
VF-200	20" monitor with built in MPEG player	20"	800x600	450	400:1	–	–	–	Metal	ITO Touch screen Internet updatable contents
ASQA20	20" monitor with built in MPEG player	20"	800x600	500	500:1	–	RCA	USB	Metal	–
ASQA32	32" monitor with built in MPEG player	32"	1366x768	550	1000:1	VGA	RCA, S-Video	USB	Metal	–

These monitors with are compatible with interactive options such as motion sensors, touch screens, barcode readers and external touch buttons.

Albiral, your technological partner for specific products

Difficult environments (vibrations, humidity, extreme temperatures, vandalism) frequently require features not available in standard products.

Vandal proof monitors, cabinets with internal heating and cooling systems, information kiosks, touch screen solutions, monitors with embedded PC and digital signage totems are some examples of special projects carried out.



Monitor with built-in camera and MPEG player

SPECIFIC PROJECTS

Albiral offers you:

- Customisation and special developments even for small production series
- The coordination of the whole project including electronic and mechanical design, certifications and technical documentation
- Design of prototypes in a very short time
- Support during the whole life of the product
- A know-how of more than 10 years working with LCD technology



Stainless steel cabinet





Totem with built-in PC



Monitor for seat back integration



Multimedia interactive stand



Engined monitor for speaker podium

Thanks to an international presence through a network of distributors in more than 20 countries, a know-how of more than 10 years in the audiovisual business and the partnership with the leading technologic manufacturers, we can offer a wide range of solutions and advice about the latest innovations to help develop your specific project.

REFERENCES

PORSCHE STUTTGART

LUXEMBURG CITY COUNCIL

KBC BANK BRUSSELS

AGBAR

GAS NATURAL

VALENCIA'S CHAMBER OF COMMERCE

BANK OF SPAIN

CAJA MADRID

CAJA NAVARRA

CAJA DUERO

CECA

LA CAIXA

CAIXA LAIETANA

INMOBILIARIA COLONIAL

GESTAMP

DISTRITO C DE TELEFÓNICA

TVE, SPANISH TELEVISION

TV3

CANAL PLUS

TELECINCO

CITY TV

TELEVISION OF ANDORRA

KISS FM

BROADCASTING CENTER EUROPE

MC DONNALDS

BURGER KING

VALENCIA EXHIBITION CENTRE

BARCELONA EXHIBITION CENTRE



ALBIRAL DISPLAY SOLUTIONS SL

C/ Fàtima 25, Sant Hipòlit de Voltregà
Barcelona – Spain
Tel: +34 93 850 23 76 / 23 83
fax: +34 93 850 25 50 / 23 72
web: www.albiral.com
e-mail: marketing@albiral.com

ALBIRAL PRO, S.L.

C/ Vázquez de Mella 23
28017 Madrid – Spain
tel: +34 91 36 8 11 90
fax: +34 91 368 11 97
web: www.albiral.com
e-mail: albiral@albiral.com

Distributed by

Albiral is a registered brand by Albiral Display Solutions SL
Specifications subject to changes without previous notice